Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	@ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5) and alert)	US-PGPUB	OR	ON	2007/02/02 16:19
L2	23	@ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5))	US-PGPUB	OR ·	ON	2007/02/02 16:20
L3	23	@ad<"20010604" and ((intrusion data attack) adj signature and security and network and (monitor\$5))	US-PGPUB	OR	ON	2007/02/02 16:20
L4 ·	. 0	@ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5)).clm.	US-PGPUB	OR	ON	2007/02/02 16:20
L5	0	@ad<"20010604" and ((intrusion data attack) adj signature and security and network and (monitor\$5)).clm.	US-PGPUB	OR	ON	2007/02/02 16:20
L6	0	@ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5)).clm.	US-PGPUB	OR	ON	2007/02/02 16:20
L7	2	@ad<"20010604" and (signature and security and network and (monitor\$5)).clm.	US-PGPUB	OR	ON	2007/02/02 16:20
L8	8	@ad<"20010604" and ((attack instrusion) and network and (monitor\$5)).clm.	US-PGPUB	OR	ON	2007/02/02 16:20
L9	5	@ad<"20010604" and ((attack instrusion) and network and (alert)). clm.	US-PGPUB	OR	ON	2007/02/02 16:20

2/2/07 4:21:00 PM Page 1

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	44	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L2 ·	67	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and unknown near2 (command packet)	US-PGPUB; USPAT; EPO; IBM_TDB	OR.	ON	2007/02/02 16:16
L3	16	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer and "713"/\$.ccls. and attack\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:16
L4	5214904	@ad<"20010604"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L5	0	L4 and 713/200.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L6	0	L5 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L7	5214904	@ad<"20010604"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L8	16391	L7 and ( "726"/\$.ccls. "713"/\$.ccls. )	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L9	39	L8 and application near2 (level layer) same attack	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
L10	5214904	@ad<"20010604"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:16
L11	202	L10 and 726/23,25.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:16

L12	0	4 and (alert severity warning) with value same network with intrusion	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:17
L13	4	4 and (alert severity warning) with (value code) same network with intrusion	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:17
L14	19	4 and (alert severity warning) with value and network with intrusion	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON \	2007/02/02 16:17
L15	36	4 and (alert severity warning) with value and network with (attack intrusion)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:17
S1	5149165	@ad<"20010604"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:27
S2	0	S1 and 731/201.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:27
S3	1686	S1 and 713/201.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:27
S4	270	S3 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:38
S5	1615	S1 and 713/200.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:28
S6	985	S1 and 709/225.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:28
S7	1860	S1 and 709/223.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:28
S8	112	S5 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:28

			-			
S9	181	S6 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:28
S10	646	S7 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:28
S11	30	(S4 S8 S9 S10) and attack with signature	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 14:29
S12	16034	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/17 14:25
S13	0	"/cgi-bin/phf"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/21 12:07
S14	30	(@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)) and (attack intrusion) near2 signature	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 09:25
S15	1	"5991881".PN.	USPAT	OR	OFF	2004/10/21 15:15
S16	57	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and unknown near2 (command packet)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/07 09:55
S17	0	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root with shell	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 09:31
S18	73	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 10:45
S19	0	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root near2 (prompt shell)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 09:41
S20	0	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root near2 (prompt shell access)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 09:41

		·				
S21	6	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (detect\$2) near2 http	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 12:38
S22	0	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (detect\$2) near2 passwd	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 12:39
S23	39	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 12:39
524	16	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 12:47
S25	13	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp not "etc/passwd"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 12:40
S26	3	(@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp) not (@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp not "etc/passwd")	US-PGPUB; USPAT; EPO; IBM_TDB	OR ·	ON	2004/10/28 12:47
S27	7	(US-6725377-\$ or US-6279113-\$ or US-6301668-\$ or US-5991881-\$ or US-6728886-\$).did. or (US-20020199114-\$ or US-20020083331-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/10/28 13:09
S28	2	((US-6725377-\$ or US-6279113-\$ or US-6301668-\$ or US-5991881-\$ or US-6728886-\$).did. or (US-20020199114-\$ or US-20020083331-\$).did.) and rpc	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/10/28 13:09
S29	785	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/04/29 15:26
S30	64	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) same application adj layer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/04/29 15:21
S31	67	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/04/29 16:08

			<del>-</del>		•	
<b>S32</b>	23	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer and "713"/\$.ccls. and attack\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/04/29 16:09
S33	5176530	@ad<"20010604"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON .	2005/09/12 13:39
S34	. 0	S33 and 713/201.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:39
S35	0	S34 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:39
S36	0	S35 and ((alert priority) with signature with (table))	US-PGPUB; USPAT; EPO; IBM_TDB	OR-	ON	2005/09/12 13:39
S37	0	S35 and ((alert priority) with signature with (list database table))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:40
S38	0	S35 and ((alert priority) with (list database table))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:40
S39	16749	S33 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:39
S41	1	S39 and ((alert priority) with signature with (list database table))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/09/12 13:40
S42	1	"6928377".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/11/17 14:12
S43	1	"6928277".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/11/17 14:13

			_	T	1	
S44	1278	@ad<"20010604" and network adj security and table	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/08 10:18
S45	19	@ad<"20010604" and adapt\$4 with network adj security and table	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/17 14:28
S47	48	@ad<"20010604" and ("713"/\$.ccls. "726"/\$.ccls.) and network adj security and table with (vulnerability attack exploit policy)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/17 14:42
S48	17	@ad<"20010604" and ("713"/\$.ccls. "726"/\$.ccls.) and network adj security and table with (vulnerability attack exploit)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/17 14:46
S49	14	@ad<"20010604" and ("713"/\$.ccls. "726"/\$.ccls.) and intrusion adj detection and table with (vulnerability attack exploit)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/11/17 15:12
S50	89	@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer with (level priority alert)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/07 10:22
S51	17	S50 and ( "726"/\$.ccls. "713"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/02/02 16:15
S52	5199810	@ad<"20010604"	US-PGPUB; USPAT; EPO; IBM_TDB	OR .	ON	2006/08/07 13:10
S53	15987	S52 and ( "726"/\$.ccls. "713"/\$.ccls. )	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/07 13:11
S54	3	S53 and application near2 (level layer) with signature same attack	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/07 13:40
S55	36	S53 and application near2 (level layer) same attack	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/07 13:40
S56	5	@ad<"20010604" and 726/25.ccls. and severity with (level value)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/08/08 10:19